

## Miniatura T5 ø 16



| CODE              | MODELO     | WATIOS | TEMPº KELVIN | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------------------|------------|--------|--------------|------|----------|-----------|-------|-----------|----------|
| 10001 LUZ DIA     | F4T5 / D   | 4      | 6500         | 16   | 136      | G5        | 120   | 10        | 2,75     |
| 10003 LUZ DIA     | F6T5 / D   | 6      | 6500         | 16   | 212      | G5        | 240   | 10        | 2,75     |
| 10005 LUZ DIA     | F8T5 / D   | 8      | 6500         | 16   | 288      | G5        | 350   | 10        | 2,75     |
| 10007 LUZ DIA     | F13T5 / D  | 13     | 6500         | 16   | 516      | G5        | 770   | 10        | 4,15     |
| 10002 BLANCA FRIA | F4T5 / CW  | 4      | 4200         | 16   | 136      | G5        | 120   | 10        | 2,75     |
| 10004 BLANCA FRIA | F6T5 / CW  | 6      | 4200         | 16   | 212      | G5        | 240   | 10        | 2,75     |
| 10006 BLANCA FRIA | F8T5 / CW  | 8      | 4200         | 16   | 288      | G5        | 350   | 10        | 2,75     |
| 10008 BLANCA FRIA | F13T5 / CW | 13     | 4200         | 16   | 516      | G5        | 770   | 10        | 4,15     |

## Standard T8 ø 26



| CODE          | MODELO    | WATIOS | TEMPº KELVIN | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|---------------|-----------|--------|--------------|------|----------|-----------|-------|-----------|----------|
| 10011 LUZ DIA | F14T8 / D | 14     | 6500         | 26   | 361      | G13       | 700   | 25        | 4,25     |
| 10013 LUZ DIA | F15T8 / D | 15     | 6500         | 26   | 437      | G13       | 750   | 25        | 3,00     |
| 10021 LUZ DIA | F18T8 / D | 18     | 6500         | 26   | 590      | G13       | 1050  | 25        | 1,85     |
| 10017 LUZ DIA | F30T8 / D | 30     | 6500         | 26   | 895      | G13       | 1900  | 25        | 4,75     |
| 10023 LUZ DIA | F36T8 / D | 36     | 6500         | 26   | 1200     | G13       | 2500  | 25        | 1,85     |
| 10025 LUZ DIA | F58T8 / D | 58     | 6500         | 26   | 1500     | G13       | 4000  | 25        | 3,75     |

## Standard T12 ø 38



| CODE          | MODELO     | WATIOS | TEMPº KELVIN | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|---------------|------------|--------|--------------|------|----------|-----------|-------|-----------|----------|
| 10031 LUZ DIA | F20T12 / D | 20     | 6500         | 38   | 590      | G13       | 1050  | 25        | 4,35     |
| 10033 LUZ DIA | F40T12 / D | 40     | 6500         | 38   | 1200     | G13       | 2500  | 25        | 4,65     |

## Trifosforo T8 ø 26



| CODE  | MODELO      | WATIOS | TEMPº KELVIN | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|-------------|--------|--------------|------|----------|-----------|-------|-----------|----------|
| 10185 | F10T8 / 830 | 10     | 3000         | 26   | 345      | G13       | 400   | 25        | 6,50     |
| 10041 | F18T8 / 830 | 18     | 3000         | 26   | 590      | G13       | 1350  | 25        | 4,00     |
| 10049 | F23T8 / 830 | 23     | 3000         | 26   | 970      | G13       | 1850  | 25        | 9,50     |
| 10048 | F30T8 / 830 | 30     | 3000         | 26   | 895      | G13       | 2400  | 25        | 7,50     |
| 10042 | F36T8 / 830 | 36     | 3000         | 26   | 1200     | G13       | 3350  | 25        | 4,50     |
| 10043 | F58T8 / 830 | 58     | 3000         | 26   | 1500     | G13       | 5250  | 25        | 5,25     |
| 10036 | F14T8 / 840 | 14     | 4000         | 26   | 361      | G13       | 875   | 25        | 6,50     |
| 10038 | F15T8 / 840 | 15     | 4000         | 26   | 437      | G13       | 950   | 25        | 6,00     |
| 10044 | F18T8 / 840 | 18     | 4000         | 26   | 590      | G13       | 1350  | 25        | 4,00     |
| 10050 | F23T8 / 840 | 23     | 4000         | 26   | 970      | G13       | 1850  | 25        | 9,50     |
| 10047 | F30T8 / 840 | 30     | 4000         | 26   | 895      | G13       | 2400  | 25        | 7,50     |
| 10045 | F36T8 / 840 | 36     | 4000         | 26   | 1200     | G13       | 3350  | 25        | 4,50     |
| 10046 | F58T8 / 840 | 58     | 4000         | 26   | 1500     | G13       | 5250  | 25        | 5,25     |
| 10037 | F14T8 / 865 | 14     | 6500         | 26   | 361      | G13       | 875   | 25        | 6,50     |
| 10039 | F15T8 / 865 | 15     | 6500         | 26   | 437      | G13       | 950   | 25        | 6,00     |
| 10051 | F18T8 / 865 | 18     | 6500         | 26   | 590      | G13       | 1350  | 25        | 4,00     |
| 10055 | F30T8 / 865 | 30     | 6500         | 26   | 895      | G13       | 2400  | 25        | 7,50     |
| 10052 | F36T8 / 865 | 36     | 6500         | 26   | 1200     | G13       | 3350  | 25        | 4,50     |
| 10053 | F58T8 / 865 | 58     | 6500         | 26   | 1500     | G13       | 5250  | 25        | 5,25     |

## Circulares



| CODE  | MODELO   | WATIOS | TEMPº KELVIN | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|----------|--------|--------------|------|----------|-----------|-------|-----------|----------|
| 10071 | FC22T9/D | 22     | 6500         | 26   | 216      | G10q      | 950   | 20        | 6,25     |
| 10073 | FC32T9/D | 32     | 6500         | 26   | 311      | G10q      | 1700  | 20        | 6,75     |
| 10075 | FC40T9/D | 40     | 6500         | 26   | 413      | G10q      | 2250  | 20        | 10,00    |



## Trifosforo Circulares

| CODE  | MODELO       | WATIOS | TEMPº KELVIN | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|--------------|--------|--------------|------|----------|-----------|-------|-----------|----------|
| 10978 | FC22T9 / 827 | 22     | 2700         | 26   | 216      | G10q      | 1250  | 12        | 10,50    |
| 10979 | FC32T9 / 827 | 32     | 2700         | 26   | 311      | G10q      | 2100  | 10        | 12,00    |
| 10980 | FC40T9 / 827 | 40     | 2700         | 26   | 413      | G10q      | 2800  | 10        | 15,00    |
| 10974 | FC22T9 / 840 | 22     | 4000         | 26   | 216      | G10q      | 1250  | 12        | 10,50    |
| 10975 | FC32T9 / 840 | 32     | 4000         | 26   | 311      | G10q      | 2100  | 10        | 12,00    |
| 10976 | FC40T9 / 840 | 40     | 4000         | 26   | 413      | G10q      | 2800  | 10        | 15,00    |
| 10971 | FC22T9 / 865 | 22     | 6500         | 26   | 216      | G10q      | 1250  | 12        | 10,50    |
| 10972 | FC32T9 / 865 | 32     | 6500         | 26   | 311      | G10q      | 2100  | 10        | 12,00    |
| 10973 | FC40T9 / 865 | 40     | 6500         | 26   | 413      | G10q      | 2800  | 10        | 15,00    |

## T5 FHE (high efficiency)

| CODE  | MODELO        | WATIOS | TEMPº KELVIN | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|---------------|--------|--------------|------|----------|-----------|-------|-----------|----------|
| 10171 | F14T5 / TR830 | 14     | 3000         | 16   | 549      | G5        | 1350  | 25        | 5,50     |
| 10172 | F21T5 / TR830 | 21     | 3000         | 16   | 849      | G5        | 2100  | 25        | 5,85     |
| 10173 | F28T5 / TR830 | 28     | 3000         | 16   | 1149     | G5        | 2900  | 25        | 6,75     |
| 10174 | F35T5 / TR830 | 35     | 3000         | 16   | 1449     | G5        | 3650  | 25        | 7,25     |
| 10061 | F14T5 / TR840 | 14     | 4000         | 16   | 549      | G5        | 1350  | 25        | 5,50     |
| 10062 | F21T5 / TR840 | 21     | 4000         | 16   | 849      | G5        | 2100  | 25        | 5,85     |
| 10063 | F28T5 / TR840 | 28     | 4000         | 16   | 1149     | G5        | 2900  | 25        | 6,75     |
| 10064 | F35T5 / TR840 | 35     | 4000         | 16   | 1449     | G5        | 3650  | 25        | 7,25     |
| 10191 | F14T5 / TR865 | 14     | 6500         | 16   | 549      | G5        | 1300  | 25        | 5,50     |
| 10192 | F21T5 / TR865 | 21     | 6500         | 16   | 849      | G5        | 2000  | 25        | 5,85     |
| 10193 | F28T5 / TR865 | 28     | 6500         | 16   | 1149     | G5        | 2750  | 25        | 6,75     |
| 10194 | F35T5 / TR865 | 35     | 6500         | 16   | 1449     | G5        | 3500  | 25        | 7,25     |



## T5 FHO (high output)

| CODE  | MODELO        | WATIOS | TEMPº KELVIN | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|---------------|--------|--------------|------|----------|-----------|-------|-----------|----------|
| 10175 | F24T5 / TR830 | 24     | 3000         | 16   | 549      | G5        | 2000  | 25        | 6,25     |
| 10176 | F39T5 / TR830 | 39     | 3000         | 16   | 849      | G5        | 3500  | 25        | 6,50     |
| 10177 | F49T5 / TR830 | 49     | 3000         | 16   | 1449     | G5        | 4900  | 25        | 7,75     |
| 10178 | F54T5 / TR830 | 54     | 3000         | 16   | 1149     | G5        | 5000  | 25        | 7,50     |
| 10179 | F80T5 / TR830 | 80     | 3000         | 16   | 1449     | G5        | 7000  | 25        | 9,50     |
| 10065 | F24T5 / TR840 | 24     | 4000         | 16   | 549      | G5        | 2000  | 25        | 6,25     |
| 10066 | F39T5 / TR840 | 39     | 4000         | 16   | 849      | G5        | 3500  | 25        | 6,50     |
| 10069 | F49T5 / TR840 | 49     | 4000         | 16   | 1449     | G5        | 4900  | 25        | 7,75     |
| 10067 | F54T5 / TR840 | 54     | 4000         | 16   | 1149     | G5        | 5000  | 25        | 7,50     |
| 10068 | F80T5 / TR840 | 80     | 4000         | 16   | 1449     | G5        | 7000  | 25        | 9,50     |
| 10195 | F24T5 / TR865 | 24     | 6500         | 16   | 549      | G5        | 1900  | 25        | 6,25     |
| 10196 | F39T5 / TR865 | 39     | 6500         | 16   | 849      | G5        | 3325  | 25        | 6,50     |
| 10197 | F49T5 / TR865 | 49     | 6500         | 16   | 1449     | G5        | 4650  | 25        | 7,75     |
| 10198 | F54T5 / TR865 | 54     | 6500         | 16   | 1149     | G5        | 4750  | 25        | 7,50     |
| 10199 | F80T5 / TR865 | 80     | 6500         | 16   | 1449     | G5        | 6650  | 25        | 9,50     |

## T5 Circulares

| CODE  | MODELO       | WATIOS | TEMPº KELVIN | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|--------------|--------|--------------|------|----------|-----------|-------|-----------|----------|
| 10087 | FC22T5 / 830 | 22     | 3000         | 16   | 225      | 2Gx13     | 1800  | 12        | 17,00    |
| 10088 | FC40T5 / 830 | 40     | 3000         | 16   | 300      | 2Gx13     | 3200  | 12        | 19,00    |
| 10089 | FC55T5 / 830 | 55     | 3000         | 16   | 300      | 2Gx13     | 4200  | 12        | 21,00    |
| 10077 | FC22T5 / 840 | 22     | 4000         | 16   | 225      | 2Gx13     | 1800  | 12        | 17,00    |
| 10078 | FC40T5 / 840 | 40     | 4000         | 16   | 300      | 2Gx13     | 3200  | 12        | 19,00    |
| 10079 | FC55T5 / 840 | 55     | 4000         | 16   | 300      | 2Gx13     | 4200  | 12        | 21,00    |



## Grolux (iluminación de plantas, invernaderos, horticultura, etc)

| CODE  | MODELO      | WATIOS | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|-------------|--------|------|----------|-----------|-------|-----------|----------|
| 10131 | F15T8 / 077 | 15     | 26   | 437      | G13       | 350   | 25        | 11,50    |
| 10132 | F18T8 / 077 | 18     | 26   | 590      | G13       | 500   | 25        | 10,50    |
| 10135 | F30T8 / 077 | 30     | 26   | 895      | G13       | 850   | 25        | 12,50    |
| 10133 | F36T8 / 077 | 36     | 26   | 1200     | G13       | 1200  | 25        | 12,00    |
| 10134 | F58T8 / 077 | 58     | 26   | 1500     | G13       | 1850  | 25        | 14,50    |



## Colores

| CODE           | MODELO    | WATIOS | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|----------------|-----------|--------|------|----------|-----------|-------|-----------|----------|
| 10111 ROJO     | F18T8 / R | 18     | 26   | 590      | G13       | 550   | 25        | 11,75    |
| 10112 VERDE    | F18T8 / G | 18     | 26   | 590      | G13       | 1300  | 25        | 11,75    |
| 10113 AMARILLO | F18T8 / Y | 18     | 26   | 590      | G13       | 800   | 25        | 11,75    |
| 10114 AZUL     | F18T8 / B | 18     | 26   | 590      | G13       | 590   | 25        | 11,75    |
| 10123 VIOLETA  | F18T8 / V | 18     | 26   | 590      | G13       | 550   | 25        | 11,75    |
| 10115 ROJO     | F36T8 / R | 36     | 26   | 1200     | G13       | 1250  | 25        | 12,75    |
| 10116 VERDE    | F36T8 / G | 36     | 26   | 1200     | G13       | 3150  | 25        | 12,75    |
| 10117 AMARILLO | F36T8 / Y | 36     | 26   | 1200     | G13       | 1900  | 25        | 12,75    |
| 10118 AZUL     | F36T8 / B | 36     | 26   | 1200     | G13       | 1200  | 25        | 12,75    |
| 10124 VIOLETA  | F36T8 / V | 36     | 26   | 1200     | G13       | 1000  | 25        | 12,75    |
| 10119 ROJO     | F58T8 / R | 58     | 26   | 1500     | G13       | 2000  | 25        | 15,00    |
| 10120 VERDE    | F58T8 / G | 58     | 26   | 1500     | G13       | 4900  | 25        | 15,00    |
| 10121 AMARILLO | F58T8 / Y | 58     | 26   | 1500     | G13       | 3000  | 25        | 15,00    |
| 10122 AZUL     | F58T8 / B | 58     | 26   | 1500     | G13       | 1500  | 25        | 15,00    |



## Fresh Light (iluminación panaderías, pescaderías, fruterías, etc)

| CODE  | MODELO    | WATIOS | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|-----------|--------|------|----------|-----------|-------|-----------|----------|
| 10137 | F18 / 075 | 18     | 26   | 590      | G13       | 1125  | 25        | 9,50     |
| 10139 | F36 / 075 | 36     | 26   | 1200     | G13       | 2700  | 25        | 12,50    |
| 10140 | F58 / 075 | 58     | 26   | 1500     | G13       | 4300  | 25        | 16,50    |

## Nature Superb (iluminación de carnicerías, tiendas comestibles, etc)

| CODE  | MODELO      | WATIOS | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|-------------|--------|------|----------|-----------|-------|-----------|----------|
| 10141 | F15T8 / 076 | 15     | 26   | 437      | G13       | 500   | 25        | 14,50    |
| 10142 | F18T8 / 076 | 18     | 26   | 590      | G13       | 750   | 25        | 10,50    |
| 10143 | F30T8 / 076 | 30     | 26   | 895      | G13       | 1300  | 25        | 15,50    |
| 10144 | F36T8 / 076 | 36     | 26   | 1200     | G13       | 1800  | 25        | 13,25    |
| 10145 | F58T8 / 076 | 58     | 26   | 1500     | G13       | 2850  | 25        | 16,50    |



## Bio Vital (luz saludable)

luz saludable con un espectro parecido a la luz del sol conteniendo parte de los rayos uva y uvb con importantes beneficios para la salud y bienestar personal: aumento del rendimiento y la concentración, reducción del estrés y depresiones, mejora del sistema inmunológico, etc.

| CODE  | MODELO      | WATIOS | R. CROMATICA | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|-------------|--------|--------------|------|----------|-----------|-------|-----------|----------|
| 10155 | F15T8 / 958 | 15     | Ra 96        | 26   | 437      | G13       | 750   | 25        | 16,25    |
| 10156 | F18T8 / 958 | 18     | Ra 96        | 26   | 590      | G13       | 1150  | 25        | 15,25    |
| 10157 | F30T8 / 958 | 30     | Ra 96        | 26   | 895      | G13       | 2000  | 25        | 18,50    |
| 10158 | F36T8 / 958 | 36     | Ra 96        | 26   | 1200     | G13       | 2800  | 25        | 16,50    |
| 10159 | F58T8 / 958 | 58     | Ra 96        | 26   | 1500     | G13       | 4500  | 25        | 21,50    |



## Aquarium Light (iluminación general de acuarios)

| CODE  | MODELO     | WATIOS | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|------------|--------|------|----------|-----------|-------|-----------|----------|
| 10151 | F15T8 / AL | 15     | 26   | 437      | G13       | 750   | 6         | 13,50    |
| 10152 | F18T8 / AL | 18     | 26   | 590      | G13       | 1000  | 6         | 12,50    |
| 10153 | F30T8 / AL | 30     | 26   | 895      | G13       | 2000  | 6         | 15,50    |
| 10154 | F36T8 / AL | 36     | 26   | 1200     | G13       | 2350  | 6         | 14,50    |



## Terrarium Light (iluminación general de terrarios con componente UV)

| CODE  | MODELO     | WATIOS | Ø MM | LONG. MM | CASQUILLO | LUMEN | UDS. CAJA | P.V.P. € |
|-------|------------|--------|------|----------|-----------|-------|-----------|----------|
| 10161 | F15T8 / TL | 15     | 26   | 437      | G13       | 500   | 6         | 17,50    |
| 10162 | F18T8 / TL | 18     | 26   | 590      | G13       | 600   | 6         | 16,50    |
| 10163 | F30T8 / TL | 30     | 26   | 895      | G13       | 1150  | 6         | 18,50    |
| 10164 | F36T8 / TL | 36     | 26   | 1200     | G13       | 1400  | 6         | 17,50    |



## Actinico (para aparatos de exterminación de insectos)

| CODE  | MODELO      | WATIOS | Ø MM | LONG. MM | CASQUILLO | UDS. CAJA | P.V.P. € |
|-------|-------------|--------|------|----------|-----------|-----------|----------|
| 10091 | F4T5 / BL   | 4      | 16   | 136      | G5        | 10        | 4,00     |
| 10092 | F6T5 / BL   | 6      | 16   | 212      | G5        | 10        | 4,65     |
| 10093 | F8T5 / BL   | 8      | 16   | 288      | G5        | 10        | 5,00     |
| 10097 | F11T5 / BL  | 11     | 16   | 212      | G5        | 10        | 6,25     |
| 10094 | F15T8 / BL  | 15     | 26   | 437      | G13       | 10        | 7,00     |
| 10095 | F20T10 / BL | 20     | 32   | 590      | G13       | 10        | 10,00    |
| 10096 | F40T10 / BL | 40     | 32   | 1200     | G13       | 10        | 14,00    |



## Luz Negra Azul (iluminación para discotecas, detección de billetes falsos, etc)

| CODE  | MODELO       | WATIOS | Ø MM | LONG. MM | CASQUILLO | UDS. CAJA | P.V.P. € |
|-------|--------------|--------|------|----------|-----------|-----------|----------|
| 10101 | F4T5 / BLB   | 4      | 16   | 136      | G5        | 10        | 6,50     |
| 10102 | F6T5 / BLB   | 6      | 16   | 212      | G5        | 10        | 7,00     |
| 10103 | F8T5 / BLB   | 8      | 16   | 288      | G5        | 10        | 7,75     |
| 10107 | F13T5 / BLB  | 13     | 16   | 516      | G5        | 10        | 12,00    |
| 10104 | F15T8 / BLB  | 15     | 26   | 437      | G13       | 10        | 12,25    |
| 10105 | F20T10 / BLB | 20     | 32   | 590      | G13       | 10        | 15,75    |
| 10106 | F40T10 / BLB | 40     | 32   | 1200     | G13       | 10        | 21,00    |
| 10108 | 58WT8 / BLB  | 58     | 26   | 1500     | G13       | 10        | 32,00    |



## Germicida (hospitales, industrias alimentarias, peluquerías, etc)

| CODE  | MODELO | WATIOS | Ø MM | LONG. MM | CASQUILLO | UDS. CAJA | P.V.P. € |
|-------|--------|--------|------|----------|-----------|-----------|----------|
| 10080 | G6T5   | 6      | 16   | 212      | G5        | 10        | 11,50    |
| 10081 | G8T5   | 8      | 16   | 288      | G5        | 10        | 12,00    |
| 10082 | G15T8  | 15     | 26   | 437      | G13       | 10        | 16,50    |
| 10084 | G18T8  | 18     | 26   | 590      | G13       | 10        | 14,50    |
| 10083 | G30T8  | 30     | 26   | 895      | G13       | 10        | 24,50    |



## Cebadores

| CODE  | MODELO                            | WATIOS | CONEXION                     | UDS. CAJA | P.V.P. € |
|-------|-----------------------------------|--------|------------------------------|-----------|----------|
| 10201 | ST - U                            | 4 a 80 | SIMPLE A 220V                | 25        | 0,52     |
| 10202 | FS - 2                            | 4 a 22 | SIMPLE A 125V / SERIE A 220V | 25        | 0,55     |
| 10203 | EFS 300 RAPID START (ELECTRONICO) | 4 a 80 | 220V - 260V                  | 10        | 8,50     |



DAMOS LUZ A SUS IDEAS



**93 672 49 90**

4 LÍNEAS



[clar@clar-iluminacion.com](mailto:clar@clar-iluminacion.com)



[www.clar-iluminacion.com](http://www.clar-iluminacion.com)