



Halo Standard

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
40001	28	230	E27	55	95	360	2000	100	2,50
40002	42	230	E27	55	95	630	2000	100	2,50
40004	52	230	E27	55	95	840	2000	100	2,65
40003	70	230	E27	55	95	1225	2000	100	2,65
40005	105	230	E27	60	105	1900	2000	100	3,00



Halo Standard Cupula Plata

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
40013	70	230	E27	70	126	1225	2000	50	7,50



Halo Esferica

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
40014	18	230	E14	45	76	170	2000	100	2,75
40016	28	230	E14	45	76	360	2000	100	2,75
40017	42	230	E14	45	76	630	2000	100	2,75
40015	18	230	E27	45	76	170	2000	100	2,75
40018	28	230	E27	45	76	360	2000	100	2,75
40019	42	230	E27	45	76	630	2000	100	2,75



Halo Vela

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
40020	18	230	E14	35	100	170	2000	100	2,75
40021	28	230	E14	35	100	360	2000	100	2,75
40022	42	230	E14	35	100	630	2000	100	2,75



Halo Vela Rizada

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
40030	18	230	E14	35	100	170	2000	100	3,50
40028	28	230	E14	35	100	360	2000	100	3,50
40029	42	230	E14	35	100	630	2000	100	3,50



Halo Vela Candela

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
40026	28	230	E14	35	125	360	2000	25	3,75
40027	42	230	E14	35	125	630	2000	25	3,75



Halo Globo

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	CANDELAS	HORAS VIDA	UDS. CAJA	P.V.P. €
40070	18	230	E27	126	135	205	2000	12	6,00
40071	28	230	E27	126	175	370	2000	12	6,00
40072	42	230	E27	126	175	630	2000	12	6,00
40073	70	230	E27	126	175	1250	2000	12	6,00



Halo Reflector

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
40031-R50	28	230	E14	50	86	380	2000	25	3,75
40032-R50	42	230	E14	50	86	860	2000	25	3,75
40033-R63	28	230	E27	63	104	380	2000	25	4,00
40034-R63	42	230	E27	63	104	860	2000	25	4,00
40035-R80	42	230	E27	80	110	600	2000	25	4,50
40036-R80	70	230	E27	80	110	1000	2000	25	4,50
40038-R90	42	230	E27	90	116	600	2000	30	5,50
40039-R90	70	230	E27	90	116	1000	2000	30	5,50

Lineal Standard

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
12304	150	24	R7s	9	118	2400	2000	50	6,25
12301	300	24	R7s	9	118	5200	2000	50	6,25
12311	150	125	R7s	9	78	2400	2000	50	5,75
12312	150	125	R7s	9	118	2400	2000	50	5,25
12313	200	125	R7s	9	118	3300	2000	50	5,25
12314	300	125	R7s	9	118	5200	2000	50	4,75
12315	500	125	R7s	11	118	9500	2000	50	4,75
12331	100	220 - 240	R7s	9	78	1500	2000	50	5,00
13332	150	220 - 240	R7s	9	78	2400	2000	50	4,50
12333	200	220 - 240	R7s	9	78	3300	2000	50	4,50
12334	250	220 - 240	R7s	9	78	4300	2000	50	4,50
12335	100	220 - 240	R7s	9	118	1500	2000	50	5,00
12336	150	220 - 240	R7s	9	118	2400	2000	50	4,00
12337	200	220 - 240	R7s	9	118	3300	2000	50	4,00
12338	250	220 - 240	R7s	9	118	4300	2000	50	4,00
12339	300	220 - 240	R7s	9	118	5200	2000	50	3,75
12340	500	220 - 240	R7s	11	118	9500	2000	50	3,75
12341	750	220 - 240	R7s	11	191	16500	2000	50	6,15
12342	1000	220 - 240	R7s	11	191	22000	2000	50	6,15
12343	1500	220 - 240	R7s	11	256	36000	2000	50	7,75

Lineal Eco

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
40040	60	220 - 240	R7s	8	78	1000	2000	50	7,25
40041	80	220 - 240	R7s	8	78	1400	2000	50	6,50
40042	120	220 - 240	R7s	8	78	2250	2000	50	6,00
40043	160	220 - 240	R7s	8	78	3100	2000	50	6,00
40045	80	220 - 240	R7s	8	118	1400	2000	50	6,50
40046	120	220 - 240	R7s	8	118	2250	2000	50	5,25
40047	160	220 - 240	R7s	8	118	3100	2000	50	5,25
40048	200	220 - 240	R7s	10	118	4050	2000	50	5,25
40049	230	220 - 240	R7s	10	118	4700	2000	50	4,75
40050	400	220 - 240	R7s	10	118	8550	2000	50	4,75

2 Pin

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
12201	10	6	G4	8	30	130	3000	100	2,75
12202	20	6	G4	8	30	320	3000	100	2,75
12203	5	12	G4	9	33	60	3000	100	2,75
12204	10	12	G4	9	33	130	3000	100	1,80
12205	20	12	G4	9	33	320	3000	100	1,45
12217	20	12	GY6.35	12	44	320	3000	100	1,65
12206	35	12	GY6.35	12	44	600	3000	100	1,60
12207	50	12	GY6.35	12	44	950	3000	100	1,45
12208	75	12	GY6.35	12	44	1450	3000	100	2,45
12209	100	12	GY6.35	12	44	2000	3000	100	2,45
12211	20	24	G4	9	33	320	3000	100	3,45
12212	50	24	GY6.35	12	44	950	3000	100	3,55
12213	100	24	GY6.35	12	44	2000	3000	100	4,15
12214	150	24	GY6.35	14	44	2700	3000	100	6,45
12215	200	24	GY6.35	15	58	3600	3000	100	6,85
12216	250	24	GY6.35	15	58	4500	3000	100	7,85



2 Pin Eco

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
41021	8	12	G4	8	31	90	3000	50	2,45
41022	16	12	G4	8	31	250	3000	50	2,00
41023	28	12	GY6.35	10	40	530	3000	50	2,25
41024	40	12	GY6.35	10	40	830	3000	50	2,00



2 Pin Directa a Red

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
12241	35	220 - 240	GY6.35	12	48	450	2000	100	5,00
12242	50	220 - 240	GY6.35	12	48	750	2000	100	5,00



Dicroica Reflector ø 25mm MR8

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	ANG. APERT.	HORAS VIDA	UDS. CAJA	P.V.P. €
12093	20	12	GY4	25	32	26°	1000	25	6,75
12094	35	12	GY4	25	32	26°	1000	25	6,75



Dicroica Reflector ø 35mm MR11

12030	10	12	GU4	35	35	30°	3000	25	5,00
41051	16	12	GU4	35	35	30°	4000	20	6,00
12031 / FTD	20	12	GU4	35	35	30°	3000	25	5,00
41052	28	12	GU4	35	35	30°	4000	20	6,00
12032 / FTH	35	12	GU4	35	35	30°	3000	25	5,00



Dicroica Reflector ø 50mm MR16

12012 / BAB	20	12	GU5.3	50	45	38°	3000	100	3,85
12013 / FMW	35	12	GU5.3	50	45	38°	3000	100	3,85
12015 / EXN	50	12	GU5.3	50	45	38°	3000	100	3,50
12016 / FNV	50	12	GU5.3	50	45	60°	3000	100	3,85
12017 / EYC	75	12	GU5.3	50	45	40°	3000	100	3,85



Dicroica Reflector ø 50mm MR16 Eco

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	ANG. APERT.	HORAS VIDA	UDS. CAJA	P.V.P. €
41041	16	12	GU5.3	50	45	38°	4000	50	4,50
41042	28	12	GU5.3	50	45	38°	4000	50	4,50
41043	40	12	GU5.3	50	45	38°	4000	50	4,50

Dicroica Luz Solar 4200° Kelvin

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	ANG. APERT.	HORAS VIDA	UDS. CAJA	P.V.P. €
12061	50	12	GU5.3	50	45	38°	4000	20	5,25

Dicroica Reflector de aluminio

12071	50	12	GU5.3	50	45	38°	4000	20	4,50
-------	----	----	-------	----	----	-----	------	----	------

Dicroica Colores - Reflector ø 35mm

12056 Verde	20	12	GU4	35	35	20°	3000	25	9,00
12057 Amarillo	20	12	GU4	35	35	20°	3000	25	9,00



Dicroica Colores - Reflector ø 50mm

12054 Azul	50	12	GX5.3	50	45	13°	4000	20	9,00
------------	----	----	-------	----	----	-----	------	----	------

Dicroica 24V - Reflector ø 35mm

12718	20	24	GU4	35	35	30°	3000	25	7,00
-------	----	----	-----	----	----	-----	------	----	------

Dicroica 24V - Reflector ø 50mm

12091	20	24	GU5.3	50	45	38°	3000	20	6,00
12092	50	24	GU5.3	50	45	38°	3000	20	6,00



Dicroica Directa Red Reflector ø 35mm

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	HORAS APERT.	ANG. APERT.	HORAS VIDA	UDS. CAJA	P.V.P. €
12173	20	220 - 240	GU10	35	47	35°	1500	20	7,75
12174	35	220 - 240	GU10	35	47	35°	1500	20	7,75



Dicroica Directa Red Reflector ø 50mm

12161	50	220 - 240	E27	51	75	30°	2000	25	8,25
12162	75	220 - 240	E27	51	75	30°	2000	25	8,25
12164	50	220 - 240	E14	51	75	30°	2000	25	8,25
12165	75	220 - 240	E14	51	75	30°	2000	25	8,25
12171	50	220 - 240	GX5.3	51	50	38°	2000	20	6,50
12172	75	220 - 240	GX5.3	51	50	38°	2000	20	6,50
12830	35	220 - 240	GU10	51	54	38°	2000	20	5,25
12181	50	220 - 240	GU10	51	54	38°	2000	20	5,25



Dicroica Directa Red Reflector ø 50mm Eco

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	ANG. APERT.	HORAS VIDA	UDS. CAJA	P.V.P. €
41061	40	230	GU10	51	55	30°	2000	50	5,50



Dicroica Directa Luz Solar 4200° Kelvin

12188	50	220 - 240	GU10	51	54	38°	2000	20	7,00
-------	----	-----------	------	----	----	-----	------	----	------

Dicroica Directa Red Reflector ø 63mm

12182	75	220 - 240	GU10	63	60	38°	2000	20	9,50
-------	----	-----------	------	----	----	-----	------	----	------

G9 Directa Red

12251 MATE	25	220 - 240	G9	14	45	250	2000	100	4,50
12252 MATE	40	220 - 240	G9	14	45	400	2000	100	4,50
12253 MATE	60	220 - 240	G9	14	49	750	2000	100	4,50
12255 MATE	100	220 - 240	G9	14	49	1250	2000	100	4,50



G9 Eco Directa Red

41030 CLARA	20	230	G9	13	42	200	2000	20	4,75
41031 CLARA	33	230	G9	13	42	460	2000	20	4,75
41032 CLARA	48	230	G9	13	42	800	2000	20	4,75



Reflector Aluminio AR-48 / AR-70

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	ANG. APERT.	HORAS VIDA	UDS. CAJA	P.V.P. €
12419 AR 48	20	12	GY4	48	38	8°	2000	10	7,00
12420 AR 70	50	12	Ba 15D	70	51	24°	2000	10	11,00



Reflector Aluminio AR-111 Directa a Red

12430	75	230	GU10	111	60	24°	2000	10	15,00
12431	100	230	GU10	111	60	24°	2000	10	15,00



Decorativa

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
12401	42	220 - 240	E27	46	112	650	2000	25	7,50
12402	70	220 - 240	E27	46	112	1200	2000	25	7,50
12403	105	220 - 240	E27	46	112	1800	2000	25	7,50



Tubular

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
12390	42	220 - 240	E14	32	105	650	2000	25	9,50
12391	52	220 - 240	E27	32	105	850	2000	25	9,50
12392	70	220 - 240	E27	32	105	1200	2000	25	9,50
12393	105	220 - 240	E27	32	105	1800	2000	25	9,50
12394	175	220 - 240	E27	32	112	3500	2000	25	10,50



Minican

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
12370	42	220 - 240	E14	19	63	650	2000	50	9,00
12371	52	220 - 240	E14	19	64	850	2000	50	9,00
12372	70	220 - 240	E14	19	64	1200	2000	50	9,00
12373	105	220 - 240	E14	19	76	1800	2000	50	9,00
12375	70	220 - 240	Ba 15 D	17	64	1200	2000	50	9,00
12376	105	220 - 240	Ba 15 D	17	76	1800	2000	50	9,00
12377	250	220 - 240	Ba 15 D	17	90	3500	2000	50	9,75



Par 20

CODE	WATIOS	VOLTIOS	CASQUILLO	Ø MM	LONG. MM	LUMEN	HORAS VIDA	UDS. CAJA	P.V.P. €
12412	75	220 - 240	E27	63	82	30°	2000	10	11,00



Semaforo

CODE	WATIOS	VOLTIOS	CASQUILLO	LONG. MM	ANCHO MM	ALTO MM	HORAS VIDA	UDS. CAJA	P.V.P. €
12231 / H3 / 5512	55	12	PK 22s	42	20	11	2000	100	4,75



Transformador Electrico

CODE	MODELO	WATIOS	VOLTIOS	LONG. MM	ANCHO MM	ALTO MM	UDS. CAJA	P.V.P. €
12501	TRE 2125 B	50	12	155	40	32	10	8,00



Transformador Electronico

CODE	MODELO	WATIOS	VOLTIOS	LONG. MM	ANCHO MM	ALTO MM	UDS. CAJA	P.V.P. €
12541	TE 60	60	12	67	33	20	20	7,35
12542	TE 105	105	12	93	42	20	20	15,50
12543	TE 150	150	12	155	42	34	20	23,50



Portalamparas

CODE	MODELO	PARA CASQUILLO	LONG. CABLE	UDS. CAJA	P.V.P. €
12521	IV - 15	G4 / G5.3 / G6.35	150 mm	100	0,50
12522	IV - 30	GU10 / GZ10	150 mm	50	1,50
12523	IV - 40	G9	150 mm	50	1,45



DAMOS LUZ A SUS IDEAS



93 672 49 90

4 LÍNEAS



clar@clar-iluminacion.com



www.clar-iluminacion.com